


THE ULTIMATE OUTBOARD MOTOR

SUZUKI MARINE OUTBOARD MOTORS FULL LINE CATALOG





This year we are celebrating our 100th anniversary.

On March 15, 1920, Michio Suzuki founded the Suzuki Loom Manufacturing Co. in Hamamatsu. Since then, we have expanded our business from looms to motorcycles, automobiles, outboard motors, ATV's and others, always adapting to the trend of the times as well as domestic and global markets.

Your kind support at all times is truly the greatest factor that has enabled us to always be close to our customers' daily lives and achieve the commemorative 100th anniversary. All members of Suzuki Motor Corporation take this as an important milestone to reaffirm the founder's philosophy of "focusing on customers" and strive to deliver products to customers across the globe.







GSX1100S KATANA (1981)





"If the customer needs something, do whatever we can to respond. We can do anything if we work hard"

Michio Suzuki, Founder





A44 single-sided automatic four-shuttle loom(1950)





CONTENTS

- -8 SUZUKI ULTIMATE TECHNOLOGY
- 9-11 NEW DF140BG/DF115BG Suzuki's DBW system series
- 12-13 FLAGSHIP-GEKI SERIES
 DF350A/300B
- **14-15 V6 300-225HP** DF300AP/250AP DF250T/225T
- **16-17 IN-LINE 4 200-150HP** DF200AP/175AP/150AP DF200A/175A/150A
- 18-19 IN-LINE 4 140-70HP
 DF140BG/115BG
 DF140A/115A
 DF90A/70A
- 20-21 IN-LINE 3 60-25HP
 DF60AV/50AV
 DF60A/50A/40A
 DF30A/25A
- 22-23 PORTABLE 20-2.5HP
 DF20A/15A/9.9B
 DF6A/4A
 DF2.5
- 24-25 SUZUKI SS SERIES 250SS-115SS
- 26-30 ECSTAR
 PARTS & ACCESSORIES
- 31-33 CLEAN OCEAN PROJECT SUZUKI'S 9TH CLEAN-UP THE WORLD CAMPAIGN
- 34-35 HISTORY
- **36-39 SPECIFICATIONS & FEATURES**





LEADING THE INDUSTRY WITH AWARD WINNING TECHNOLOGIES AND DESIGNS, SUZUKI OUTBOARDS PROVIDE FEATURES AND BENEFITS THAT MAKE BOATING EVEN MORE ENJOYABLE



Durability & Reliability

- Durable
- Notifies user before engine trouble
- Easy to service, repair













Performance

acceleration at all operating ranges











- Smooth and quick
- Powerful torque



















Less vibration

· Easy to use

shifting

Quiet operation

Light & Compact

Smooth and Decisive





Ecology & Economy Ease & Comfort

- Good fuel efficiency / low exhaust emissions
 - Low maintenance cost
 - Environmental protection activities









NMMA Innovation Awards

The Innovation Awards (recognizing technological innovation) granted each year by the NMMA (National Marine Manufacturers Association) are considered among the highest honors in marine technology. Of the new marine industry products in that year, they are awarded to "a product that shows technical leadership, is practical and cost-effective, and is truly beneficial to the consumer."

Starting with the DT200 Exanté in 1987 and extending to the DF350A in 2017, Suzuki outboard motors have received this Innovation Award a total of nine times. Eight of these awards have been for 4-stroke outboard motors, which is the largest number of awards in 2003: DF250T the engine category in the industry.



Awarded Prizes

2006: DE300

1987: DT200 Exanté 2011: DF50A & DF40A 1997: DF70 & DF60 2012: DF300AP

1998: DF50 & DF40 2014: DF30A & DF25A 2017: DF350A

Durability & Reliability

SUZUKI DUAL LOUVER SYSTEM

DF350A/300B

The DF350A/DF300B is equipped with a dog-leg shaped dual louver air intake to completely remove water from the air taken into the cowl.

ADVANTAGE

- Prevents water from entering the outboard.
- Allows a direct intake system, contributing to higher engine



SELF-ADJUSTING TIMING CHAIN

DF40A AND UP

The timing chain runs in an oil bath so it never needs lubricating, and is equipped with an automatic hydraulic tensioner so it remains properly adjusted at all times.

ADVANTAGE

- More durability compared to belt types of same class.
- Maintenance free.






TILT LIMIT SYSTEM

DF50AV AND UP (not including DF50A/40A)

Tilt Limit System prevents the outboard from tilting beyond a selected angle.

ADVANTAGE

■ Prevents damage to the boat or outboard due to excessive outboard tilting.





WATER DETECTING SYSTEM

DF70A AND UP

It helps to protect the engine from water in the fuel using a water detecting fuel filter to alert the driver with both visual and audio warnings when water is present in the fuel.

ADVANTAGE

■ Prevents water in fuel, which can be the cause of issues like poor combustion. lower power output and corrosion.




DUAL WATER INLET


DF350A/300B DF300AP/250AP

The engine's cooling system relies on water supplied through two water inlets located on the lower unit where usually there is only one.

ADVANTAGE

■ Increases the water flow, providing better cooling performance.







SUB WATER INLET

OPTIONAL: DF140BG/115BG DF140A/115A STANDARD: DF60A/50A/40A

Two water inlets in different directions.

ADVANTAGE

■ Ensures that the engine does not overheat due to the clogging of algae.

2021 SUZUKI OUTBOARD MOTORS 5 4 2021 SUZUKI OUTBOARD MOTORS

SUZUKI ULTIMATE TECHNOLOGY






SUZUKI ANTI-CORROSION FINISH

ALL MODELS

Special protection is applied to the aluminum surface using high strength bonding to protect the aluminum made exterior parts.

■ Protection against corrosion helps increase the overall outboard durability.



SDSM

ALL MODELS

Available for free*, this service enables you to scan the QR code containing the engine information displayed on the Multi-Function Display or Multi-Function Gauge with your smart phone and send the information via email

ADVANTAGE

- The SDSM App lets you send your authorized Suzuki dealer all the technical information they need to service and maintain your outboard motor instantly and easily.
 - * Suzuki Multi-function Gauge or Suzuki Multi-function Display and a smartphone running Android or iOS is required.



SUZUKI DUAL PROP SYSTEM

DF350A/300B

The Suzuki Dual Prop System spins two propellers rotating in opposite directions on a single engine.

ADVANTAGE

ADVANTAGE

ranges.

- Achieve superior stability when driving straight by eliminating the lateral forces associated with a single propeller.
- Engine power is transferred to the water more efficiently.
- Powerful reverse thrust and braking force.
- Less water resistance due to the small size of the gear case.
- Superior water gripping

Offers smooth, powerful torque.

Provides increased acceleration

during operation for all speed

Performance traction and quick acceleration from a standing start.

DF350A/300B DF300AP/250AP DF250T DF200AP/175AP DF200A/175A

Variable Valve Timing is used to control the opening and closing

TORQUE CURVE

ENGINE SPEED

with VVT

timing of the intake valve depending on the engine operation.

VVT (Variable Valve Timing)



air enters the engine.

speed operation.

ADVANTAGE

DIRECT AIR INTAKE

density of the air intake during low

MULTI-STAGE INDUCTION

DF200A/175A/150A


DF250T/225T DF200AP/175AP/150AP


Manifold pipes are switched between short and long during low

speed and high speed operation to ensure the right volume of

DF350A/300B

improves combustion efficiency.





ADVANTAGE

■ Delivers higher power output with improved combustion



Performance



OFFSET DRIVESHAFT


DF70A AND UP


The engine powerhead is positioned closer to the front, moving the outboard's center of gravity forward.

ADVANTAGE

- Less vibration
- More compact
- Stable steering performance

1st Stage Reduction : 30:36=1.20 2nd Stage Reduction 12:25=2.08 Total: 2.50:1





DF200AF



2-STAGE GEAR REDUCTION

DF70A AND UP

This system which incorporates the Offset Driveshaft features a first stage reduction between the crankshaft and drive shaft. and a second stage reduction inside the gear case. This design makes a lower gear ratio possible, allowing it to turn a large diameter higher pitch propeller.

ADVANTAGE

- Increased power to turn large diameter propellers, offering quick acceleration.
- High propulsive efficiency with large diameter propeller.
- Powerful propulsion, maintaining propeller rotation even with a heavy load.

GEAR RATIO IN EACH CLASS

MODEL	DF140BG/115BG DF140A/115A 90A/70A	DF200A(AP)/ 175A(AP)/150A(AP)	DF250T/ 225T	DF300AP/ 250AP	DF350A/ 300B
GEAR RATIO	2:59:1	2:50:1	2:29:1	2:08:1	2:29:1

DF60AV vs. DF60A size comparison

Gear Ratio 2.42 2.27



HIGH ENERGY ROTATION DF60AV/50AV

These outboard motors are equipped with gears designed with a 2.42 gear ratio, which is larger than the standard model, in their lower units. When combined with a large 36cm (14-inch) propeller, this system can deliver powerful forward thrust. This is ideal for heavy boats.

ADVANTAGE

- Powerful propulsion and precise maneuvering even with heavy loads.
- Increased power to turn large diameter propellers, offering quick acceleration.
- Better hole shot.
- Superior low-speed handling.
- 6 2021 SUZUKI OUTBOARD MOTORS





SUZUKI SELECTIVE ROTATION

DF300AP/250AP > DF200AP/175AP/150AP

Function for selecting regular or counter rotation on one outboard with an optional connector and a counter rotation propeller.

■ Either regular or counter rotation can be used on the same outboard.





SUZUKI PRECISION CONTROL (Electronic Throttle and Shift Systems)

DF350A/300B DF300AP/250AP DF200AP/175AP/150AP DF140BG/115BG

Operation from the remote control is delivered to the outboard via an electric signal and not by the traditional mechanical control cables.

ADVANTAGE

- Less friction and resistance compared to the mechanical type that uses actual control cables.
- Combined with the Lean Burn Control System, it offers improved fuel economy for a wide range of speed.
- Instant silky smooth shifting and throttle response.



SUZUKI ULTIMATE TECHNOLOGY




OUIET OPERATION

DF350A/300B DF200AP/175AP/150AP DF200A/175A/150A DF140BG/115BG

Intake noise is suppressed with a resonator, which makes the noise from the outboard quieter.

ADVANTAGE

■ Less noise, making boating more pleasant.



INTEGRATED FUEL TANK

DF6A/4A/2.5

The integral overhead fuel tank and one-way valve deliver fuel supply by using gravity.

ADVANTAGE

- Contributes to easy start.
- Convenient to fill, operate






THREE-WAY STORAGE

DF6A/4A/2.5

The design allows the outboard to be removed from the boat and placed on 3 sides for storage.

ADVANTAGE

No need to worry about the loading space or method.






SUZUKI TROLL MODE SYSTEM* (Optional for Remote Control Models)

► DF40A AND UP (not including DF250T/225T)

This system maintains consistent engine RPM.

■ Boat can maintain consistent speed range without having to operate the throttle.





*Available with SMD, SMG, or Troll Mode Switch Panel



SUZUKI EASY START SYSTEM

DF40A AND UP (not including DF250T/225T)

Simply turn the key and release, and the starter stays engaged until the engine starts. This system offers smooth, easier starting.

Ecology & Economy



LEAN BURN CONTROL SYSTEM

LEAN BURN

DF9.9B AND UP (not including DF250T/225T)

The Lean Burn Control System supplies the appropriate amount of fuel and air mixture depending on the operating conditions.

ADVANTAGE

■ Significant improvement in fuel economy in all speed ranges especially at cruising speed.



BATTERY-LESS ELECTRONIC FUEL INJECTION

DF30A/25A DF20A/15A/9.9B

This technology delivers quicker starts, smoother operation, and more acceleration without a battery.

ADVANTAGE

- Quick and easy start.
- Clean operation and economic fuel consumption.
- Strong and smooth and smoother performance in all operating ranges.
- Operates without battery.



The dual injectors deliver just the right amount of fuel at the right time into each cylinder.

Contributes to higher output and better fuel efficiency.



SUZUKI CLEAN OCEAN PROJECT

Suzuki Clean Ocean Project was created to show Suzuki's commitment towards reducing marine plastic waste and enhancing aquatic environments worldwide

World's First Drive By Wire Model in 4-stroke 140/115HP

*140PS:103kw, 115PS: 84.6kw

Drive By Wire

- Simplified Rigging
- Smooth Shifting & **Instant Throttle**

Streamline Design

Easy Maintenance

- Oil Drip Catcher
- **Easy Access Oil Filter** Accessible just by removing the top cover

New White Color

High Durability

- Improved Gear Case
- Helps gear oil circulation
- Prevents gear oil deterioration
- Enhances durability of pinion gear



DF140BG_{NEW} DF115BG_{NEW}

STANDARD FEATURES











OUTBOARD MOTOR



Ease & Comfort









Ecology & Economy



SPECIFICATIONS / FEATURES P36 P37

2021 SUZUKI OUTBOARD MOTORS 9

8 2021 SUZUKI OUTBOARD MOTORS



Suzuki's Drive By Wire Series **Precision Electronic Control** for the Ultimate Boating Experience

Drive By Wire (Suzuki Precision Control: S.P.C) is a technologically advanced computerbased control system with electronic wiring that eliminates the source of friction and resistance. While you enjoy smooth throttle and shift operation, the system's computer is processing and transmitting commands in real-time to actuators at the engine that deliver precise throttle controls with silky smooth, decisive shifting.





Smooth Shift Operation

Easy Rigging

Fuel Efficient

Suzuki Precision Remote Control

ULTIMATE Line-up



DF350A



DF300B



DF300AP



DF250AP



DF200AP



DF150AP

DF175AP





DF140BG

DF115BG

V6 350-300HP Flagship -GEKI SERIES

◆Drive By Wire DF350A / DF300B





SUZUKI DUAL LOUVER SYSTEM P5

The DF350A/DF300B is equipped with dual louver at the air intake to remove water from the air taken into the cowl.

Incorporating a direct intake system makes the highest compression ratio of 12.0:1(DF350A),10.5:1(DF300B) possible, ultimately leading to a higher engine

SUZUKI DUAL PROP SYSTEM P7

The dual prop system efficiently turns


propulsion under water. As an added benefit, because each propeller rotates in

DF350A/DF300B horsepower output into

a different direction, exceptional stability is

In addition, the contra-rotating propellers





DUAL WATER INLETS

The engine's cooling system relies on water supplied through low water intakes located on the lower unit. This dual water inlet configuration increases water flow into the lower unit, delivering greater cooling efficiency. Positioning the forward inlet by the gear case nose delivers a greater water supply, especially at high speeds. The second inlet is positioned lower, allowing the DF350A/DF300B to operate.



DUAL INJECTORS

Dual injectors deliver just the right amount of fuel at just the right time into the

Dual injectors contribute to higher output and better fuel efficiency.



DF350A DF300B

DRIVE BY WIRE





SMD16 / SMD12

Big screen navigation for large boats. The SMD16/SMD12 allows you to choose the screen size that best matches your helm or bridge needs. You can build your system with the best sensors and technologies to suit your needs.



GEKI: PARTING SEAS

A Force to Match the Power of Nature and the Sea Representing Suzuki's Identity and Heritage. A Symbol of Our Passion and Commitment to the Ultimate in Marine Innovation.

* "GEKI: PARTING SEAS" is the logo that represents the DF350A and DF300B

Durability & Reliability













Performance



























Increased Alternator Output at Low Speed

Ideal for today's power-hungry fishing boats that spend a lot of time trolling

Applicable models: V6 models (DF350A-DF225T)*

ADVANTAGE

- Increased alternator output at idle and low speed.
- Enables the use of more electric pumps, equipment.

At Idling Speed 18A → 28A* 143% At Idle in Gear $23A \rightarrow 33A^*$ 113% At 1,000rpm $38A \rightarrow 43A^*$

* Applicable from June 2020 production models.

STANDARD FEATURES















DF250AP

ADDITIONAL FEATURES FOR DRIVE BY WIRE MODEL

Durability & Reliability









DF250AP

Ecology & Economy

DF300AP DF250AP

DRIVE BY WIRE

DF250T New White Color DF225T

MECHANICAL

DF250AP

New White Color

Ease & Comfort

DF250AP

*2 Available with SMD, SMG, or Troll Mode Switch Panel

14 2021 SUZUKI OUTBOARD MOTORS

V6 300-225HP

SUZUKI

◆Drive By Wire DF300AP / DF250AP ◆Mechanical DF250T / DF225T




Big screen navigation for large boats. The SMD16 / SMD12 allows you to choose the screen size that best matches your helm or bridge needs. You can build your system with the best sensors and technologies to suit your needs.



SUZUKI SELECTIVE ROTATION





Function for selecting standard or counter rotation on one outboard with an optional connector.

QUIET ROTATION



Intake noise is suppressed with a resonator, which reduces sound levels and improves the boating experience.

STANDARD FEATURES









ALL MODELS ALL MODELS ALL MODELS (OPTIONAL*1)

Ease & Comfort





DF175AP DF150AP

DF150AP

DRIVE BY WIRE

MECHANICAL

DF150A

ALL MODELS (OPTIONAL*2) ALL MODELS

Ecology & Economy



Ease & Comfort

Performance

ADDITIONAL FEATURES FOR DRIVE BY WIRE MODEL

DF200A MECHANICAL

DF200AP

DRIVE BY WIRE

DF175AP

DRIVE BY WIRE

MECHANICAL

IN-LINE 4 200-150HP

◆Mechanical

◆Drive By Wire DF200AP / DF175AP / DF150AP

DF200A / DF175A / DF150A

16 2021 SUZUKI OUTBOARD MOTORS



NEW SUZUKI DF140BG/DF115BG

Drive-By-Wire Technology & Advanced Features For More Boaters

These are the first 4-stroke outboards in their size class to offer factory electronic controls for silky smooth shifting, instant throttle response, enhanced performance and better fuel economy.

These new models also boast an upgraded 10.6:1 compression ratio that improves thermal efficiency for better acceleration and top-end speed. The redesigned cowl incorporates a new air intake that keeps water out and features a silencer-resonator system to reduce engine noise in the cockpit. The new design also lets boaters

replace the oil filter just by removing the upper engine cover, while a new oil spill catcher helps prevent messes. A new Water Detection fuel filter also helps protect these engines from contaminated fuel.

A powerful new 40-amp alternator delivers enhanced charging performance at low idle speeds, to help keep electronics, lights and equipment humming. Add these new features up, and you have a powerful new choice for a wide range of fishing boats, large RIBs, pontoons and more.

2-STAGE GEAR REDUCTION

P6 📏

This design makes a lower gear ratio possible, allowing it to turn a larger diameter high pitch propeller.

MULTI-FUNCTION TILLER HANDLE

P29 💉



Suzuki's ergonomically designed tiller handle provides comfortable operation of the outboard with the left or right hand.

MAINTENANCE KIT*

P29 \\



Each maintenance kit has the complete range of Suzuki Genuine Parts required for servicing Suzuki outboard motors according to the periodical maintenance schedule as detailed in the owner's manual.

*Available for all models

STANDARD FEATURES

Durability & Reliability



Ease & Comfort

(OPTIONAL*2)

ALL MODELS



ALL MODELS



ALL MODELS ALL MODELS ALL MODELS (OPTIONAL*1)



ALL MODELS

Ecology & Economy

ALL MODELS



DF140BG DF140A

Performance









ADDITIONAL FEATURES FOR DRIVE BY WIRE MODEL

Ease & Comfort

ALL MODELS ALL MODELS







MECHANICAL

■Tiller handle model available (For 90HP & 70HP)

New White Color

SPECIFICATIONS / FEATURES P36 P37

18 2021 SUZUKI OUTBOARD MOTORS

P9 📉

New White Color

■DF140BG

™DF115BG

DRIVE BY WIRE

IN-LINE 4 140-70HP

◆Drive By Wire DF140BG / DF115BG

SUZUKI

♦ Mechanical DF140A / DF115A / DF90A / DF70A

SUZUK

UZUKI

UZUKI

MECHANICAL

90

2021 SUZUKI OUTBOARD MOTORS 19













ALL MODELS (OPTIONAL*

Performance Ease & Comfort Ecology & Economy





ALL MODELS





■Tiller handle model & gas assist model available

DF60A

New White Color



HIGH ENERGY ROTATION

These outboards are equipped with gears designed with a 2.42 gear ratio, which is larger than the standard model. When combined with a large 36cm (14-inch) propeller, this powerful system can deliver powerful thrust. This is ideal for heavy

- Powerful propulsion and precise maneuvering even with heavy loads.
- Superior power to turn large diameter



	DF60AV	DF60A	
Gear Ratio	L: 2.42	L: 2.27	

BATTERY-LESS EFI

This technology delivers quick start, smooth operation, and strong acceleration without a battery.

BATTERY CHARGING KIT

Optional equipment for charging battery.

TROLL MODE + SMG

P28 📉

P29 📏



Allows you to control your troll mode from the Multi-Function Gauge.



STANDARD FEATURES

Durability & Reliability



New White Color

DF30A

DF25A

Gas assist model available Remote Control model available

BATTERY-LESS EFI



ALL MODELS

Ecology & Economy





*1 Available with SMD or SMG

SPECIFICATIONS / FEATURES P38 P39



HIGH ENERGY ROTATION

DF60AV

DF50AV

■Tiller handle model available



New White Color

DF6A DF4A

THREE-WAY STORAGE





BATTERY-LESS EFI

This technology delivers quick start, smooth operation, and strong acceleration without a battery.

INTEGRAL OVERHEAD FUEL TANK



The integral overhead fuel tank and one-way valve delivers fuel supply using gravity.

THREE-WAY STORAGE





The design allows the outboard to be removed from the boat and placed on 3 sides for storage.

STANDARD FEATURES



DF2.5



ALL MODELS (OPTIONAL*1



Ecology & Economy

DF20A DF15A DF9.9B

*1 Available with SMD or SMG

SPECIFICATIONS / FEATURES P38 P39

BATTERY-LESS EFI

DF20A DF15A DF9.9B

22 2021 SUZUKI OUTBOARD MOTORS

2021 SUZUKI OUTBOARD MOTORS 23

MECHANICAL SERIES SS SERIES OUTBOARD MOTORS DF250SS / DF200SS / DF115SS

In A Word: Excitement

Suzuki is bringing a new level of excitement to the water with its SS-Series 4-stroke outboards. 115, 200 and 250 horsepower SS series models all take advantage of Suzuki's "Big Block" displacement, offset driveshaft layout with 2-stage gear reduction, and multi-point sequential electronic

These Suzuki innovations deliver a powerful hole shot, exhilarating midrange punch and great fuel economy. The exclusive SS Trim Package, matte black paint job and striking cowling graphics are a perfect match to the performance of these proven engines.

There's no reason to buy another quart of 2-stroke oil when you can get performance and power like this from a Suzuki 4-stroke.



Suzuki Powers Dean Rojas to First Place Championship Win

Major League Fishing (MLF) - Bass Pro Tour - Stage Five on Smith Lake, Alabama.

This was Rojas' first MLF victory and Suzuki Marine's first sponsored-angler win in a major professional bass fishing competition. Dean Rojas fishes out of a 21' Blazer bass boat powered by a Suzuki DF250SS. This combination of speed, power and reliability keeps Dean out in front of the competition and fully focused on what matters most — catching fish



DF250SS

STANDARD FEATURES



















DF200SS

STANDARD FEATURES











DF115SS

STANDARD FEATURES









24 2021 SUZUKI OUTBOARD MOTORS 2021 SUZUKI OUTBOARD MOTORS 25



PARTS & ACCESSORIES



SUZUKI MULTI-FUNCTION DISPLAY (SMD)

DF9.9B AND UP

SUZUKI MULTI-FUNCTION DISPLAY IS AVAILABLE IN FOUR SCREEN SIZES: 16 INCH, 12 INCH, 9 INCH, 7 INCH









KEY FEATURES


- · Intuitive, easy, smooth operation with an entire multi touch screen interface. Total control at your fingertips
- Bonded all-glass LCD, sunlight viewable screen with impressive brightness, and a high-tech look
- Ease of operation with all Suzuki engine information integrated on one display
- All latest and unique technologies such as TruEcho Chirp™, Accu-Fish™, RezBoost™ combined in one display provide you the most exciting fishing experience

SMD NETWORK RECOMMENDATIONS

Product suggestion only - Not an installation diagram. Please contact your local Authorized Suzuki Dealers for more details.









Availability may differ in some regions. Please contact your Suzuki local dealer.

PARTS & ACCESSORIES

WHAT'S NEW!

SUZUKI GENUINE FUEL TANK ADAPTER

DF9.9B AND UP

The genuine fuel tank adapter is designed to be compatible with SMD



NEW WIRELESS SOLUTION - MIRROR CONTROL APP 2 WAY COMMUNICATION!

DF9.9B AND UP

Combination with iOS/Android device increases the controllable station via Wireless LAN

The following App supports the mirror control of SMD7/9 over an iOS/Android devices







App: Mirror Control (free of charge) Seller : AvMan Sri

For iOS (App Store): https://apps.apple.com/nz/app/mirror control/id940193674

For Android (Google Play): https://play.google.com/store/apps/ details?id=mirrorControl.impl&hl=en US

SUZUKI MULTI-FUNCTION GAUGE (SMG4)

Offering a genuine color display, Suzuki's Multi-Function Gauge provides all the performance information you need in one easy-to-read gauge. Individual elements can also be emphasized to further enhance user friendliness, functionality, and reliability.

SMG4





DAY MODE **NIGHT MODE**

SPECIFICATIONS

- 89mm Color Display
- Size: 105mm(W)x105mm(H)x16mm(D)

DF9.9B AND UP

- Easy installation and setup
- NMEA2000 output
- Applicable model: DF9.9B DF350A

FEATURES

- · Can be operated with both digital and analog
- · Incorporates day and night modes
- · Displays the QR code for the Suzuki Diagnostic System
- * Speed sensor or GPS module will be required in order to display the Speed, Mileage and Trip distance. In order to display Time. GPS module will be required.

ANALOG TACH &SPEED MODE





TROLL MODE

TROLL MODE FUNCTION

· Allows you to control your troll mode from the Suzuki Multi-Function Gauge

This function is available from year 2019 models. It can only be used by models which are adapted to troll mode.



SUZUKI PRECISION CONTROL For Drive-By-Wire System

DF350A/300B DF300AP/250AP DF200AP/175AP/150AP DF140BG/115BG

Our sophisticated drive-by-wire system reduces the friction and resistance.

This gives smooth, precise control with crisp, immediate shifting, particularly at low revs and when maneuvering. The system can be configured with single, twin, triple, or quad installations, and for dual stations.

Suzuki Precision Control also features built-in systems that help guard the engine and drive against damage, so you can further experience the better boating life.

Main Features of SUZUKI PRECISION CONTROL

- · Suzuki Precision Control offers smooth and positive gear operation.
- · Smooth power transitions when power is required.
- Combined with Suzuki's Lean Burn Control system, it delivers remarkable fuel economy over a wide operating range.



BINNACLE MOUNT R/C BOX for SINGLE ENGINE



FLUSH MOUNT R/C BOX for SINGLE ENGINE

WATERGRIP PROPELLER

WATERGRIP is a stainless-steel propeller series offering superior response to throttle operation. With efficient conversion of engine power into propulsion. this propeller series meets our customers' demand for bigger, faster, more powerful outboards.

The WATERGRIP propeller series employs a new interchangeable and square shaped propeller bush that minimizes power loss in delivery.







WATERGRIP DUAL


WATERGRIP SPORT

MULTI-FUNCTION TILLER HANDLE





Tachometer with warning indicators



idling engine speed up to 1200rpm at every 50rpm increments.

angle adjustable bracket

Three-position



Power trim & tilt switch and throttle grip friction adjuster

MAINTENANCE KITS

ALL MODELS

We are now offering complete maintenance kits on a range of Suzuki outboards. Each kit has the complete range of Suzuki Genuine Parts required for servicing Suzuki outboards according to the periodical maintenance schedule as detailed in the owner's manual






BATTERY CHARGING KIT

DF25A DF20A/15A/9.9B ▶DF6A/4A

Optional equipment for charging battery





28 2021 SUZUKI OUTBOARD MOTORS 2021 SUZUKI OUTBOARD MOTORS 29

PARTS & ACCESSORIES

SUZUKI DIAGNOSTIC SYSTEM MOBILE

DF9.9B AND UP*

Simple and Easy

Read OR code*3 containing engine information and send it by e-mail. This is a service tool that anyone can use.

How to use

- 1. The outboard sends engine data and converts it into a QR code displayed on the Suzuki Multi-Function Gauge or Suzuki Multi-
- 2. With the SUZUKI DIAGNOSTIC SYSTEM MOBILE application, you can scan the OR code on the Suzuki Multi-Function Gauge or Suzuki Multi-Function Display with your phone. The engine data will be stored on your smart phone.
- 3. You can then send the engine data via email to your Suzuki Dealer.







Available for Free

To make it available for as many customers as possible, customers using the Suzuki Multi-Function Gauge and Suzuki Multi-Function Display can use it for free. In order to use it, a smartphone running Android or iOS is required.

* SUZUKI DIAGNOSTIC SYSTEM MOBILE is free of charge.

Advantages to customers

- This app can show you information like cruising hours at each rpm and is useful when reviewing your cruising journey.
- Enables you to easily provide necessary engine information to the service personnel when your outboard needs maintenance.

Advantages to dealers and service personnel

- Enables you to obtain engine information more easily. No longer necessary to remove the engine cover and connect a personal computer.
- If any malfunction should occur in a customer's outboard, you can check the accurate engine information sent by the customer before going to the site.

*3 DENSO WEB owns the right of the name and the logo of QR code. Must have SMG or SMD Gauge






Inc., registered in the U.S. and other countries App Store is a service mark of Apple Inc., registered in the H.S. and other countries

Google Play and the Google Play logo are

SELECT ROTATION CONNECTOR

DF300AP/250AP DF200AP/175AP/150AP





The connector makes it possible for one model to operate in either Standard or Counter-Rotation Operation.

Suzuki Selective Rotation - the world's first selective rotation outboard combines standard or



counter-rotation operation into the same outboard lower unit. The outboard can be switched from standard rotation to counter rotation operation by installing a connector into an engine compartment circuit. Suzuki Selective Rotation lower unit gears were redesigned using a strong heat treated alloy with slightly larger diameters which deliver greater rigidity.

Advantages to customers

- Eliminates the need to purchase a dedicated counter rotation
- · Can reduce the number of spare propellers needed.
- · Increase resale value of used engines.
- * Make sure you consult with your Suzuki authorized dealer before changing Regular Rotation to Counter Rotation (or vice versa). Counter rotational propeller will also be needed along with the Counter Select Connector.

Suzuki Clean Ocean Project

As the world's ULTIMATE OUTBOARD MOTOR BRAND. Suzuki always remains focused on providing the ultimate marine experience, which requires a healthy and clean marine environment. Since 2011, we have been voluntarily conducting the "Clean-up the World Campaign" every year to contribute to a better marine environment. More than 8,000 people have participated so far. In Japan, the campaign has been officially recognized by the Ministry of the Environment in the "Plastic Smart Campaign."

To continue to make our utmost effort for environmental protection, it is time to contribute to the environment and society by determining a new direction. As well as continuing our worldwide clean-up campaign, we will also commit to take responsible actions against plastic waste problems. This is how we came to make the new Slogan and Logo, "Suzuki Clean Ocean Project", to show the world our commitment.

Our commitment

- 1. Continue our actions to clean the marine environment all over the world
 - 2. Reduce plastic used in the packaging of our products
 - 3. Reduce marine micro-plastic waste



We believe the actions Team Suzuki takes around the world will be one positive step forward to a cleaner marine environment.

SUZUKI'S 9TH CLEAN-UP THE WORLD CAMPAIGN



HISTORY

Continuously evolving over the decades, Suzuki has a rich, proud history knowing no bounds.



D55

Suzuki introduced its first outboard, the D55.

SPECIFICATIONS

2-stroke Cylinder : 1

Displacement: 5.98 cu.in. Maximum output: 5.5 HP



DT200 Exanté

DT200 Exanté won the first "Most Innovative Products" award from the National Marine Manufacturers Association (NMMA).

SPECIFICATIONS

2-stroke Cylinder : V6

Displacement: 164.38 cu.in. Maximum output: 200 HP



DF60/70

DF60 and DF70 were
the first Suzuki
4-stroke outboards
with Electronic Fuel
Injection. The DF60 and
DF70 won the "NMMA
Innovation Award" from
the International Marine
Trades Exhibit and
Conference.

SPECIFICATIONS

4-stroke Cylinder: 4

Displacement : 57.4 cu.in. Maximum output : 60/70 HP

oke tor: /: **DF250T**

The DF250 is the industry's first 250 HP V6 4-stroke outboard. The DF200/225/250 won the "NMMA Innovation Award" at the 2003 Miami International Boat Show.



SPECIFICATIONS

4-stroke Cylinder : V6

Displacement: 220.54 cu.in. Maximum output: 250 HP DF40A/50A/60A

Suzukis next generation 40/50/60 HP outboards brought advanced technology like Lean Burn Control and improved mechanical efficiency to smaller outboards. Once again, Suzuki received the NMMA Innovation Award.

SPECIFICATIONS 6 ctrol

4-stroke Cylinder: 3

Displacement : 57.4 cu.in.

Maximum output : 40/50/60 HP

DF25A/30A

With Batterless
Electronic Fuel Injection,
a Semi-Direct Air Intake
System and
other features, these
new compact outboards
were award winners on
and off the water.

SPECIFICATIONS

4-stroke Cylinder: 3

Displacement : 29.8 cu.in.
Maximum output : 25/30 HP

1965

1987

2003

2011 2014

DF350A

New Flagship

Model Features

More Exclusive

Suzuki introduces

DF350A 350 HP V6

4-stroke outboard.

Innovative Contra-

Rotating Propellers.

2020

1977

DT5

The DT5 was released as a compact 5 HP outboard motor. The first 2-cylinder engine design, while 1-cylinder had been used for conventional 5-HP outboard motor at that time. The DT5 delivered powerful propulsion.

SPECIFICATIONS

2-stroke Cylinder : 2

Displacement : 6.89 cu.in. Maximum output : 5 HP 1994

DF9.9

Suzuki introduced the DF9.9 and DF15, their first 4-stroke outboards.

SPECIFICATIONS

4-stroke Cylinder: 2 Displacement: 18.42 cu.in.

Maximum output : 9.9 HP

1998

1997

DF40/50

DF40 and DF50 followed, with Suzuki winning back-to-back "NMMA Innovation Award" from the International Marine Trades Exhibit and Conference.

SPECIFICATIONS

4-stroke Cylinder: 3

Displacement : 49.7 cu.in. Maximum output : 40/50 HP

ed,

2006 and 2012

DF300 and DF300AP

DF300 was the industry's first 300HP V6 4-stroke outboard, and the first production outboard to utilize electronic drive by wire control. In 2012, the DF300AP introduced Suzuki Selective Rotation, and other advanced technologies like Lean Burn. Both were Innovation Award winners.

SPECIFICATIONS

4-stroke Cylinder : V6

Displacement : 245.6 cu.in. Maximum output : 300 HP

first ard, suzuki

Features. DF350A is the winner, the "NMMA 2017 Innovation Award".

SPECIFICATIONS

4-stroke Cylinder : V6

> Displacement : 267.89 cu.in. Maximum output : 350 HP

2017

2020 marks the 100th anniversary of Suzuki's long history.

With the rich history of 100 years, and the experience and knowledge of automobile, motorcycle, and outboard motor development, Suzuki has come to provide technology and service unprecedented in the marine business.

Combined with the "Yaramaika" spirit, Suzuki has grown to create innovation and satisfaction to customers around the world.

34 2021 SUZUKI OUTBOARD MOTORS 35

SPECIFICATIONS & FEATURES



SPECIFICATIONS	350A	300B	300AP	250AP	250T	225T	200AP	175AP	150AP		
RECOMMENDED TRANSOM HEIGHT in		25 : 30	χ:	0AP only) 25 : 30	X: 25 XX: 30	X: 25		L: 20 X: 25			
STARTING SYSTEM	Elec	ctric	Electric		Elec	ctric		Electric			
WEIGHT lbs	X: 7 XX: 7	27.5 747.4	X: 6	26.1 39.3 559.2	X: 606.3 XX: 626.1	X: 606.3		L: 520.3 X: 531.3			
CYLINDERS	V6 (55°)	V6 ((55°)	V6 (55°)		In-line 4			
ENGINE TYPE	DOHC 2	24-Valve	DOHC 2	24-Valve	DOHC 2	4-Valve		DOHC 16-Valve			
FUEL DELIVERY SYSTEM	Electronic F	uel Injection	Electronic F	uel Injection	Electronic Fuel Injection		Electronic Fuel Injection		ction		
PISTON DISPLACEMENT In3	26	7.9	24	5.8	220.5		175.0		175.0		
BORE X STROKE III	3.86	x3.82	3.86	5x3.5	3.74x	3.74x 3.35 3.82x3.82		3.82x3.82			
MAXIMUM OUTPUT HP	350	300	300	250	250	225	200	175	150		
FULL THROTTLE OPERATING RANGE rpm	5,700-6,300	5,300-6,300	5,700-6,300	5,500-6,100	5,500-6,100	5,000-6,000	5,500	-6,100	5,000-6,000		
CONTROL BOX	Remote	e (DBW)	Remot	e (DBW)	Remote (M	lechanical)		Remote (DBW)			
OIL PAN CAPACITY QTS	8.	45	8.	45	8.	45		8.45			
RECOMMENDED FUEL	89 Octane	87 Octane	89 0	ctane	87 0	ctane		87 Octane			
FUEL TANK CAPACITY		-		-		-		-			
ALTERNATOR	12V	54A	12V	54A	12V	54A		12V 44A			
TRIM METHOD	Power Tri	m and Tilt	Power Tri	m and Tilt	Power Tri	m and Tilt	ı	Power Trim and T	ilt		
GEAR RATIO	2.2	9:1	2.0	18:1	2.2	9:1		2.50:1			
GEAR SHIFT	F-1	N-R	F-I	N-R	F-1	V-R		F-N-R			
EXHAUST	Through Prop	Hub Exhaust	Through Prop	Hub Exhaust	Through Prop	Hub Exhaust	Thro	ugh Prop Hub Ex	haust		
PROPELLER SELECTION (PITCH)	12"-	31.5"		.5" (R/R) " (C/R)	15"-27. 17"26	,		15"-27.5" (R/R) 17"26" (C/R)			

All propellers are the 3-blade type. Please inquire at your local dealer for details.

FEATURES	350A	300B	300AP	250AP	250T	225T	200AP	175AP	150AP
BODY BLACK	•	•	•	•	•	•	•	•	•
COLOR WHITE	•	•	•	•	•	•	•	•	•
SUZUKI SELECTIVE ROTATION			•	•			•	•	•
SUZUKI PRECISION CONTROL SYSTEM	•	•	•	•			•	•	•
2-STAGE GEAR REDUCTION SYSTEM	•	•	•	•	•	•	•	•	•
VARIABLE VALVE TIMING SYSTEM	•	•	•	•	•		•	•	•
MULTI-STAGE INDUCTION SYSTEM					•	•	•	•	•
OFFSET DRIVESHAFT	•	•	•	•	•	•	•	•	•
DIRECT IGNITION	•	•	•	•	•	•	•	•	•
SELF-ADJUSTING TIMING CHAIN	•	•	•	•	•	•	•	•	•
SUZUKI LEAN BURN CONTROL SYSTEM	•	•	•	•			•	•	•
02 SENSOR FEEDBACK CONTROL SYSTEM			•	•			•	•	•
SUZUKI EASY START SYSTEM	•	•	•	•			•	•	•
OVER-REV. LIMITER	•	•	•	•	•	•	•	•	•
LOW OIL PRESSURE CAUTION	•	•	•	•	•	•	•	•	•
FRESH WATER FLUSHING SYSTEM	•	•	•	•	•	•	•	•	•
SUZUKI TROLL MODE SYSTEM	0	0	0	0			0	0	0
TILT LIMIT SYSTEM	•	•	•	•	•	•	•	•	•
DUAL WATER INLET	•	•	•	•					
SUB WATER INLET									
COUNTER ROTATION MODEL					•	•			
WATER DETECTING SYSTEM	•	•	•	•	•	•	•	•	•
HIGH ENERGY ROTATION									
SHALLOW WATER DRIVE					1				
THREE-WAY STORAGE									
SUZUKI ANTI-CORROSION SYSTEM	•	•	•	•	•	•	•	•	•
OVERHEAD TANK									
SUZUKI DIAGNOSTIC SYSTEM MORU F	•	•		•	0	0	•	•	

200A	175A	150A	250SS	200SS	115\$\$	NEW 140BG	NEW 115BG	140A	115A
	L: 20 X: 25			L: 20 X: 25		L: 2 X: 2		L: 2 X: 2	
	Electric			Electric		Elect	ric	Elect	ric
	L: 518.1 X: 529.1		L: 578 X: 606	L: 518 X: 529	L: 394 X: 405	L: 414.5 X: 423.3	L: 418.9 X: 427.7	L: 399 X: 408	L: 403.4 X: 412.3
	In-line 4		V6 (55°)	In-li	ne 4	In-lin	e 4	In-lin	e 4
DC	HC 16-Valve		DOHC 24-Valve	DOHC 1	.6-Valve	DOHC 16	-Valve	DOHC 16	i-Valve
Electro	nic Fuel Inject	ion	Multi-Point S	equential Fuel I	njection	Electronic Fu	el Injection	Electronic Fu	el Injection
	175.0		245.6	175.0	124.7	124.	.7	124.7	
	3.82x3.82		3.81 x 3.46	3.81 x 3.81	3.40 x 3.50	3.38x3	3.46	3.38x	3.46
200	175	150	250	200	115	140	115	140	115
5,500-6,	,100	5,000-6,000	5,300-6,300	5,500-6,100	5,600-6,000	5,600-6,200	5,000-6,000	5,600-6,200	5,000-6,000
Remo	te (Mechanica	al)		Remote		Remote	(DBW)	Remote (Me	chanical)
	8.45		8.5		5.8	5.8	1	5.8	1
	87 Octane			87 Octane		87 Oct	ane	87 Oc	tane
-		-	-	-	-	-		-	
12V 44A	12V	44A	12V 54A	12V 44A	12V 40A	12V 4	-0A	12V ^L	-0A
Pow	er Trim and Til	t	Pov	ver Trim and Tilt	İ	Power Trim	and Tilt	Power Trim	and Tilt
	2.50:1		2.08:1	2.0:1	2.59:1	2.50	:1	2.59	:1
	F-N-R			F-N-R		F-N-	·R	F-N-	-R
Through	Prop Hub Exh	aust	Through	Prop Hub Exha	iust	Through Prop I	Hub Exhaust	Through Prop	Hub Exhaust
	"-27.5" (R/R) 7"26" (C/R)		17"-30)"	9"-26"	15"-27.5 17"26"		15"-25" 17"23"	

All propellers are the 3-blade type. Pplease inquire at your local dealer for details.

200A	175A	150A	250SS	200\$\$	115SS	140BG	115BG	140A	115A
•	•	•	•	•	•	•	•	•	•
•	•	•				•	•	•	•
	_	_		_	_	•	•	_	
•	•	•	•	•	•	•	•	•	•
•	•		•	•					
•	•	•	•	•				_	
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•		•	•		
•	•	•	•	•	•	•	•	•	•
•	•	•		•	•	•	•	•	•
	•	-		•		•	•	•	
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
0	0	0		0	0	0	0	0	0
•	•	•	•	•	•	•	•	•	•
						0	0	0	
•	•	•				•	•		
•	•	•	•	•	•	•	•	•	•
				_				-	
•	•	•				•	•	•	•
0	0	0				•	•	0	0

SPECIFICATIONS & FEATURES



SPECIFICATIONS	90A	70A	60A/50A/40A	60AV/50AV	30AT/25AT	30ATH/25ATH		
RECOMMENDED TRANSOM HEIGHT in	L: X:	20 25	L: 20	L: 20	S:15 (25A ONLY) L: 20	S: 15 L: 20		
STARTING SYSTEM	Elec	ctric	Electric	Electric	Electric	/Manual		
WEIGHT Ibs	L: 343.9 X: 352.7		L: 229	L: 254	S: 156 S: 160*4 L: 158 L: 163	S: 136 L: 138		
CYLINDERS	In-line 4		In-line 3	In-line 3	In-li	ne 3		
ENGINE TYPE	DOHC 1	.6-Valve	DOHC 12-Valve	DOHC 12-Valve	01	HC .		
FUEL DELIVERY SYSTEM	Electronic F	uel Injection	Electronic Fuel Injection	Electronic Fuel Injection	Battery-less Electr			
PISTON DISPLACEMENT In 3	91	1.8	57.4	57.4	29).8		
BORE X STROKE In	3.00	x3.30	28.5x2.99	28.5x2.99	2.80x2.68			
MAXIMUM OUTPUT HP	90	70	DF60A: 60 DF50A: 50 DF40A: 40	DF60AV: 60 DF50AV: 50		A: 30 A: 25		
FULL THROTTLE OPERATING RANGE rpm	5,700-6,300	5000-6,000	DF60A/50A: 5,300-6,300 DF40A: 5,000-6,000	5,300-6,300	DF30A: 5, DF25A: 5,			
CONTROL BOX	Remote (M	lechanical)	Remote (Mechanical)	Remote (Mechanical)	Remote (Mech.)	Tiller		
OIL PAN CAPACITY QTS	4.	54	2.7	2.7	1	.6		
RECOMMENDED FUEL	87 0	ctane	87 Octane	87 Octane	87 0	ctane		
FUEL TANK CAPACITY	Separate (d	ptional) 25	Separate (optional) 25	Separate (optional)	Separate (d	ptional) 25		
ALTERNATOR	12V	27A	12V 19A	12V 19A	12V	14A		
TRIM METHOD	Power Tri	m and Tilt	Power Trim and Tilt	Power Trim and Tilt	Power Tri	m and Tilt		
GEAR RATIO	2.5	9:1	2:27:1	2:42:1	2.0	9:1		
GEAR SHIFT	F-1	N-R	F-N-R	F-N-R	F-1	V-R		
EXHAUST	Through Prop	Hub Exhaust	Throught Prop Hub Exhaust	Throught Prop Hub Exhaust	Throught Prop	Hub Exhaust		
PROPELLER SELECTION (PITCH)	13"-25	5" (R/R)	9"-17"	15"-26"	9"-	15"		

All propellers are the 3-blade type.	Pplease inquire at your	local dealer for details.
--------------------------------------	-------------------------	---------------------------

FEATURES	90A	70A	60A/50A/40A	60AV/50AV	30AT/25AT	30ATH/25ATH
BODY BLACK	•	•	•	•	•	•
COLOR WHITE	•	•	•		•	•
SUZUKI SELECTIVE ROTATION						
SUZUKI PRECISION CONTROL SYSTEM						
2-STAGE GEAR REDUCTION SYSTEM	•	•				
VARIABLE VALVE TIMING SYSTEM						
MULTI-STAGE INDUCTION SYSTEM						
OFFSET DRIVESHAFT	•	•				
DIRECT IGNITION	•	•	•	•		
SELF-ADJUSTING TIMING CHAIN	•	•	•	•		
SUZUKI LEAN BURN CONTROL SYSTEM	•	•	•	•	•	•
02 SENSOR FEEDBACK CONTROL SYSTEM						
SUZUKI EASY START SYSTEM	•	•	•	•		
OVER-REV. LIMITER	•	•	•	•	•	•
LOW OIL PRESSURE CAUTION	•	•	•	•	•	•
FRESH WATER FLUSHING SYSTEM	•	•	•	•	•	•
SUZUKI TROLL MODE SYSTEM	0	0	0	0		
TILT LIMIT SYSTEM	•	•		•		
DUAL WATER INLET						
SUB WATER INLET			•			
COUNTER ROTATION MODEL						
WATER DETECTING SYSTEM	•	•				
HIGH ENERGY ROTATION				•		
SHALLOW WATER DRIVE						
THREE-WAY STORAGE						
SUZUKI ANTI-CORROSION SYSTEM	•	•	•	•	•	•
OVERHEAD TANK						
SUZUKI DIAGNOSTIC SYSTEM MOBILE	0	0	0	0	0	0

25A	20AT/9.9BT	20ATH/15ATH/9.9BTH	20A/15A/9.9B	6A/4A	2.5
S: 15	S: 15 L: 20 X: 25 (9.9 only)	S: 15 L: 20 X: 25	S: 15 L: 20	S: 15 L: 20	S: 15 L: 20
Manual	Electric	Electric	Electric/Manual	Manual	Manual
S: 136	S: 115 L: 120 X: 125 (9.9 only)	S: 117 L: 122 X: 127	S: 105 S: 97 L: 108 L: 99	S: 53 L: 55	S: 29 L: 30
In-line 3		In-line 2		1	1
OHC		OHC		OHV	OHV
Battery-less Electronic Fuel Injection	Batt	ery-less Electronic Fuel Inje	ction	Carburetor	Carburetor
29.8		20		8.4	26.8
2.80x2.68		2.38x2.24	2.44x1.81	1.89x1.50	
DF25A: 25		DF20A: 20 DF15A: 15 DF9.9B: 9.9	DF6A: 6 DF4A: 4	2.5	
DF25A: 5,000-6,000		DF20A: 5,300-6,300 DF15A: 5,000-6,000 DF9.9B: 4,700-5,700		DF6A: 4,750-5,750 DF4A: 4,000-5,000	5,250-5,750
Tiller	Remote (Mechanical)	Tiller	Tiller	Tiller, 180° rotation	Tiller, 360° rotation
1.6		1.0		0.7	0.4
87 Octane		87 Octane		87 Octane	87 Octane
Separate (optional) 25		Separate (optional) 12		Integral 1	Integral 0.9
12V 14A	12V	11A	12V 6A	12V 5A (op.)	-
Manual Trim and Tilt	Powe	er Tilt	Manual Trim and Tilt	Manual Trim and Tilt	
2.09:1		2.08:1	1.92:1	2.15:1	
F-N-R		F-N-R			F-N
Throught Prop Hub Exhaust		Throught Prop Hub Exhaust		Above Prop Hub Exhaust	F-N
Propeller Selection (Pitch)		7"-12"		6"-7"	5.3/8"

All propellers are the 3-blade type. Pplease inquire at your local dealer for details.

25A	20AT/15AT/9.9BT	20ATH/15ATH/9.9BTH	20AR/9.9BR	20A/9.9B	6A/4A	2.5
•	•	•	•	•	•	•
	•	•		•	•	
•	•	•	•	•		
•	•	•	•	•	•	•
•	•	•	•	•		
•	•	•	•	•	•	
•			•	•	•	
					•	
•	•	•	•	•	•	•
0	0	0	0	0	•	•





Please read your Owner's Manual carefully. Remember, boating and alcohol or other drugs don't mix. Always wear a personal flotation device when boating. Please operate your outboard safely and responsibly.

Suzuki encourages you to operate your boat safely and with respect for the marine environment.

Specifications, appearances, equipment, colors, materials and other items of "SUZUKI" products shown in this catalogue are subject to change by manufacturers at any time without notice and they may vary depending on local conditions or requirements. Each model might be discontinued without notice. Please enquire at your local dealer for details of any such changes. Actual body color might differ from the colors in this brochure.



Suzuki Marine USA, LLC 13521 Prestige Pl. P.O. Box 262529 Tampa, FL 33685-2529 www.suzukimarine.com 2021 FULL LINE CATALOG 99953-21501 Printed in the U.S.A.